## BENCH ADE

COMMERCIAL | PROFESSIONAL CATALOG
2013

### **NEW PRODUCTS**

### GOLD CLASS PAGES 06-07



### BLUE CLASS PAGES 10-31













BONE COLLECTOR<sup>™</sup> PAGES 33-35





BONE COLLECTOR









**470-131** P.07

BLUE CLASS PAGES 10-31



BONE COLLECTOR<sup>™</sup> PAGES 33-35





15020/15030 P.34













15040 P.35

15000 P.35

15015 P.35

### BLACK CLASS PAGES 38-62





### GOLD CLASS

Erase the line between custom and manufactured. It's where existing lines reach perfection and one-of-a-kind tools are crafted for the collector's wish list. The Gold Class represents a new standard in knife-making.



### PRESTIGEDGES

DE ASIS DESIGN • U.S.A.

### The classic Prestigedges kitchen knives are now available in two handle materials that best fit your lifestyle.

- Single-piece full-tang 440C stainless steel blades (58-60HRC)
- 4501: Hand finished black Micarta and stabilized winewood handles with hand polished handle rivets
- 4502: Black G10 textured contoured handles

4501

4502

Individual knives also sold separately.

	AL		
4501	Chef Knife	Utility Knife	Paring Knife
BLADE LENGTH	8.00" (20.32cm)	6.00" (15.24cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.59mm)	0.120" (3.05mm)	0.070" (1.84mm)
OVERALL LENGTH	13.00" (33.00cm)	10.25" (26.04cm)	7.09" (18.01cm)
WEIGHT	8.50oz (241.00g)	4.80oz (136.00g)	2.10oz (60.00g)
4502			
WEIGHT	9.14oz (2.58g)	5.07oz (143.7g)	2.07oz (58.5g)
HANDLE THICKNESS	0.77" (19.50mm)	0.61" (15.36mm)	0.48" (12.28mm)

4501	3-piece set	\$500
4502	3-piece set	\$385
4535-1	Paring Knife	\$110
4560-1	Utility Knife	\$140
4580-1	Chef Knife	\$180



### • NEW 470-131 EMISSARY OSBORNE DESIGN • U.S.A.

### The Gentleman's AXIS®-Assist 470-131 Emissary dressed to the 9's with Damascus blade and engraved ivory Micarta.

- AXIS<sup>®</sup>-Assist locking mechanism with side safety
- Modified drop-point blade with ambidextrous thumb-stud opener
- Etched Delbert Ealy Damascus blade
- Machined anodized black billet 7075 aluminum handle with engraved ivory Micarta inlay

470-131

BLADE THICKNESS OPEN

BLADE LENGTH 3.00" (7.62cm) 0.090" (2.29mm) 6.90" (17.53cm) **CLOSED** 3.90" (9.90cm) WEIGHT 2.20oz (62.4g) HANDLE THICKNESS 0.45" (11.43mm)

CONFIGURATI	ON/MSRP
470-131	\$500



# BLUE

The heart of Benchmade. Whether it's folders or fixed blades, the Blue Class knife is designed and built for the individual who understands the difference a high-quality instrument can make.



300 AXIS FLIPPER NEW ONS M BUTCH BALL DESIGN • U.S.A.

### The convenience of a flipper with the performance of the AXIS®.

- AXIS<sup>®</sup> locking mechanism
- Drop-point blade with flipper and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61 HRC)
- Brown and tan textured G10 handle scales
- Stainless steel liners with reversible deep-carry clip

2	^	^	
 2	υ	υ	

BLADE LENGTH **BLADE THICKNESS** OPEN CLOSED WEIGHT HANDLE THICKNESS 0.59" (14.99mm)

3.18" (8.08cm) 0.130" (3.30mm) 7.36" (18.69cm) 4.25" (10.80cm) 4.85oz (137.5g)

### **CONFIGURATIONS/MSRP**

300SSN SERR \$17	5
	'5

 $\bigcirc$ 

### • NEW 470-1 EMISSARY

OSBORNE DESIGN • U.S.A.

### This lightweight knife is an AXIS<sup>®</sup>-Assist in a thin package.

- AXIS®-Assist locking mechanism with side safety
- Modified drop-point blade with ambidextrous thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- CNC machined billet, high-strength aluminum alloy handles and a reversible deep-carry tip-up pocket clip



470-1

BLADE THICKNESS OPEN CLOSED WEIGHT

BLADE LENGTH 3.00" (7.62cm) 0.090" (2.28mm) 6.90" (17.52cm) 3.90" (9.90cm) 2.20oz (62.36g) HANDLE THICKNESS 0.45" (11.43mm)

### CONFIGURATION/MSRP 470-1 \$205

11

### **BARRAGE**<sup>®</sup> FAMILY OSBORNE DESIGN • U.S.A.

### These spring-assisted models combine speed and strength in one complete package.

- AXIS<sup>®</sup>-Assist locking mechanism
- Multiple blade styles and sizes
- Variety of handle materials available
- Reversible tip-up pocket clip

581

BLADE LENGTH		
BLADE THICKNESS		
OPEN		
CLOSED		
WEIGHT		
HANDLE THICKNESS		

3.60" (9.10cm) 0.121" (3.07mm) 8.35" (21.20cm) 4.75" (12.10cm) 5.20oz (147.41g) 0.65" (16.51mm)

### 581

This Barrage® gets an upgrade with G10 and aluminum handles and M390 super steel (60-62 HRC). С Р О

 $\bigcirc$ 

### **CONFIGURATIONS/MSRP**

581			\$225
581S	SERR		\$225
581BK		BLK	\$240
581SBK	SERR	BLK	\$240

### 580/583

### NSN: 1095-01-598-4472 (538SBK)

The original Barrage® is available in tanto or drop-point blade styles. These models feature a 154CM stainless steel blade (58-61HRC), Valox<sup>®</sup> handle and stainless steel liners.

> 580 **Drop-Point**

### 580/583

BLADE LENGTH BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS 0.65" (16.51mm)

3.60" (9.10cm) 0.121" (3.07mm) 8.35" (21.20cm) 4.75" (12.10cm) 4.20oz (119.07g)

583 Tanto

580			\$145
580S	SERR		\$145
580BK		BLK	\$160
580SBK	SERR	BLK	\$160
583			\$145
583S	SERR		\$145
583BK		BLK	\$160
583SBK	SERR	BLK	\$160

### **BARRAGE**<sup>®</sup> FAMILY **OSBORNE DESIGN • U.S.A.**

### 585

Same powerful design in a smaller package. 154CM stainless steel blade (58-61HRC), Valox<sup>®</sup> handles and stainless steel liners.





### 585

BLADE LENGTH 2.91" (7.40cm) BLADE THICKNESS 0.100" (2.54mm) OPEN 6.91" (17.60cm) CLOSED 4.00" (10.20cm) WEIGHT 3.40oz (96.30g) HANDLE THICKNESS 0.57" (14.47mm)

(	CONFIGURATIONS/MSRP			ISRP
	585			\$135
	585S	SERR		\$135
	585BK		BLK	\$150
	585SBK	SERR	BLK	\$150



### The newest AXIS®-Assist knife. New look, same fortitude.

- AXIS<sup>®</sup>-Assist locking mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- S30V stainless steel blade (58-60HRC)
- Black contoured and textured G10 handle
- Stainless steel liners with reversible split-arrow clip



### 1000001

BLADE LENGTH BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS 0.56" (14.22mm)

3.26" (8.28cm) 0.100" (2.54mm) 7.78" (19.76cm) 4.42" (11.23cm) 4.28oz (121.3q)

1000001			\$160
1000002	SERR		\$160
1000003		BLK	\$175
1000004	SERR	BLK	\$175



### The Onslaught continues.

- AXIS<sup>®</sup> locking mechanism
- Modified clip-point blade with ambidextrous thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 contoured handle scales with full stainless steel liners and a tip-up pocket clip



 $\square$  $\bigcirc$ Г Л С ഗ

746

BLADE LENGTH 3.45" (8.76cm) BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS 0.63" (16.00mm)

0.114" (2.89mm) 7.78" (19.76cm) 4.43" (11.25cm) 3.90oz (110.56g)

746			\$165
746S	SERR		\$165
746BK		BLK	\$180
746SBK	SERR	BLK	\$180



### Thin is in with this sub two-ounce folder.

- AXIS<sup>®</sup> locking mechanism
- Spear-point blade with ambidextrous thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Grivory<sup>®</sup> handle scales with a reversible tip-up pocket clip



530

BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS 0.37" (9.39mm)

BLADE LENGTH 3.25" (8.25cm) 0.090" (2.28mm) 7.42" (18.85cm) 4.17" (10.59cm) 1.88oz (53.28g)

530			\$110
530SBK	SERR	BLK	\$125



Simply designed and built for extreme performance, the machined aircraft-grade aluminum handles and S30V stainless steel make these knives true workhorses.

AXIS<sup>®</sup> locking mechanism .

940

943SBK

940 & 943

OSBORNE DESIGN • U.S.A.

- 940: Modified reverse tanto blade; 943: Straight clip-point . blade; ambidextrous thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- Anodized 6061-T6 aluminum handles with . stainless steel liners, color anodized titanium backspacer and a reversible tip-up pocket clip

C	J	J
Γ		
C		
Γ	1	
		)
		>
C	ſ	)

 $\bigcirc$ 

940/943

### BLADE LENGTH **BLADE THICKNESS** OPEN CLOSED WEIGHT HANDLE THICKNESS

### 0.115" (2.92mm) 7.87" (19.99cm) 4.47" (11.35cm) 2.90oz (82.21g)

### 0.41" (10.40mm)

### 3.40" (8.64cm)

ententitett

940			\$210
940S	SERR		\$210
940BK		BLK	\$225
940SBK	SERR	BLK	\$225
943			\$210
943SBK	SERR	BLK	\$225



### Our first folder to ever feature the AXIS<sup>®</sup> lock, the 710 is flat-out a terrific piece of sports cutlery.

- AXIS<sup>®</sup> locking mechanism
- Modified clip-point blade with ambidextrous thumb-stud opener
- D2 tool steel blade (60-62HRC)
- Black G10 handle scales with a reversible tip-up pocket clip and full stainless steel liners



710

BLADE LENGTH BLADE THICKNESS OPEN CLOSED WEIGHT

3.90" (9.90cm) 0.115" (2.92mm) 8.80" (22.34cm) 4.90" (12.44cm) 4.50oz (128.00g) HANDLE THICKNESS 0.48" (12.00mm)

710D2			\$175
710SBKD2	SERR	BLK	\$190

707 SEQUEL® MCHENRY & WILLIAMS DESIGN • U.S.A.



### The machined aluminum handles and black G10 inlays provide a secure grip in any situation.

- AXIS<sup>®</sup> locking mechanism
- Modified clip-point blade with ambidextrous thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Machined 6061-T6 aluminum handles with black G10 inlays, and a reversible tip-up pocket clip



### $\bigcirc$ >ഗ

 $\bigcirc$ 

707

BLADE LENGTH BLADE THICKNESS OPEN WEIGHT HANDLE THICKNESS 0.42" (10.67mm)

2.95" (7.50cm) 0.100" (2.54mm) 6.75" (17.15cm) **CLOSED** 3.80" (9.67cm) 2.60oz (73.70g)

707			\$160
707S	SERR		\$160
707BK		BLK	\$175
707SBK	SERR	BLK	\$175

482 **MEGUMI**<sup>™</sup> & 483 **SHORI**<sup>™</sup> NAKAMURA DESIGN • U.S.A.

### Any gentleman can appreciate these stylish yet durable pocket knives.

- Nak-Lok<sup>®</sup> locking mechanism
- S30V premium stainless steel blade (58-60HRC)
- 482: Clip-point blade style 483: Utility blade style
- 482: Cocobolo wood and carbon fiber handle
   483: Contoured black G10 handle with aluminum bolster
- Steel backspacer with lanyard hole



	400	400		
	482	483		
BLADE LENGTH	2.48" (6.30cm)	2.85" (7.24cm)		
<b>BLADE THICKNESS</b>	0.11" (2.63mm)	0.11" (2.63mm)		
OPEN	5.76" (14.63cm)	6.60" (16.76cm)		
CLOSED	3.28" (8.33cm)	3.75" (9.53cm)	CONFIG	GURATIONS/MSRP
WEIGHT	1.85oz (52.4g)	2.52oz (71.5g)	482	\$225
HANDLE THICKNESS	0.46" (11.67mm)	0.46" (11.67mm)	483	\$225



### **NO ROOM FOR ERROR**

Physics and common sense says you can't. The right tools mean you can. The 300 leaves nothing to chance in situations where precision is mandatory. The convenience of a flipper, the speed and performance of an AXIS.

### 162 BUSHCRAFTER NEW

SIBERT DESIGN • U.S.A.

### Unsurpassed reliability for planned (or unplanned) adventures.

- High ground drop-point blade with polished finish
- S30V stainless steel blade (58-60HRC)
- Hand-blended and contoured green G10 handles with red vulcanized spacer held together with pressed titanium tubing
- Brushed full-grain buckskin leather sheath with D-ring and flint rod loop and retention strap



162

BLADE LENGTH BLADE THICKNESS OPEN WEIGHT HANDLE THICKNESS 0.92" (23.37mm)

4.43" (11.25cm) 0.164" (4.17mm) 9.20" (23.37cm) 7.72oz (218.9g)

### **CONFIGURATION/MSRP** 162 \$200



### A stout titanium monolock designed by Shane Sibert. Overbuilt? Absolutely!

- Titanium monolock mechanism
- Tactical drop-point blade with thumb-stud opener
- M390 super steel blade (60-62HRC)
- Titanium and G10 handles with titanium tip-down pocket clip



755

BLADE THICKNESS OPEN CLOSED WEIGHT

BLADE LENGTH 2.90" (7.37cm) 0.164" (4.16mm) 6.90" (17.52cm) 3.80" (9.65cm) 5.50oz (156.58g) HANDLE THICKNESS 0.61" (15.50mm)

755		\$245
755BK	BLK	\$260



### This Nitrous<sup>®</sup> Assist allows for quick, reliable opening.

- Modified locking-liner with Nitrous<sup>®</sup> Assist mechanism
- Modified drop-point blade with thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 contoured handle scales with a deep-carry tip-down pocket clip

ഗ

890			\$160
890S	SERR		\$160
890BK		BLK	\$175
890SBK	SERR	BLK	\$175

**CONFIGURATIONS/MSRP** 

00000000

### 890 3.60" (9.14cm)

0.100" (2.54mm) 8.20" (20.83cm)

4.60" (11.68cm)

3.50oz (99.00g)

BLADE LENGTH **BLADE THICKNESS** OPEN CLOSED WEIGHT HANDLE THICKNESS 0.60" (15.24mm)





### This Bali-Song® is sure to become a classic.

- D2 tool steel with a crowned Weehawk blade style (60-62 HRC)
- Machined stainless steel handle
- T-latch lock
- Includes nylon sheath
- 62T has stonewashed handles and blade length is approximately 3.75"



	02/021/07/05		
BLADE LENGTH	4.25" (10.8cm)		
<b>BLADE THICKNESS</b>	0.125" (3.18mm)	CONFIGURA	IONS/MSRP
OPEN	9.20" (23.4cm)	62	\$350
CLOSED	5.27" (13.4cm)	62T	\$275
WEIGHT	6.39oz (181.2g)	67	\$350
HANDLE THICKNESS	0.48" (12.19mm)	63	\$350



### 51 MORPHO<sup>®</sup> & 32 MINI-MORPHO<sup>®</sup>

BENCHMADE DESIGN • U.S.A.

### These Bali-Songs<sup>®</sup> are awesome lightweight flippers.

- Patented nitrous latch-locking mechanism
- D2 tool steel crowned modified spear-point blade (60-62HRC)
- Machined and skeletonized black G10 handle scales with 6AL-4V titanium blue anodized and jeweled liners
- 6AL-4V blue anodized and laser-engraved titanium pocket clip





51

	32	51		
BLADE LENGTH	3.25" (8.26cm)	4.25" (10.80cm)		
<b>BLADE THICKNESS</b>	0.100" (2.57mm)	0.100" (2.57mm)		
OPEN	7.35" (18.67cm)	9.35" (23.75cm)		
CLOSED	4.39" (11.15cm)	5.40" (13.72cm)	CONFIGURATIONS/MSRP	
WEIGHT	2.70oz (76.54g)	3.30oz (93.55g)	32	\$250
HANDLE THICKNESS	0.44" (11.25mm)	0.48" (12.20mm)	51	\$270





### The unique bearing system on this Bali-Song® allows for smooth handle rotation.

- D2 tool steel flat grind utility blade (60-62 HRC)
- Contoured and textured green G10 handles
- Ball-bearing pivots
- Machined aluminum backspacer and latch
- Reversible tip-up pocket clip



BLADE LENGTH	Γ
BLADE THICKNESS	
OPEN	
CLOSED	
WEIGHT	
HANDLE THICKNESS	

**53** 3.15" (8.00cm) 0.140" (3.56mm) 7.82" (19.86cm) 4.67" (11.86cm) 3.500z (99.22g) 0.60" (15.40mm)

### **CONFIGURATION/MSRP** 53 \$200

27

### **GRIPTILIAN®** FAMILY

BENCHMADE DESIGN • U.S.A.

### AXIS® lock reliability, textured molded handle scales and premium blade steel make the Griptilian® the ultimate lightweight carry. All of our Griptilian® models feature the following:

ONS A

- AXIS® locking mechanism with ambidextrous thumb-stud or thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Glass-filled nylon handle material with stainless steel liners and a reversible tip-up pocket clip

	550HG/551/553	555HG/556/557
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.38cm)
<b>BLADE THICKNESS</b>	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.21cm)
CLOSED	4.62" (11.73cm)	3.87" (9.82cm)
WEIGHT	3.25oz (92.13g)	2.56oz (72.57g)
HANDLE THICKNESS	0.64" (16.29mm)	0.51" (12.95mm)

### 551 / 556 Griptilian®

NSN: 5110-01-598-7727 (551SBK) Modified drop-point blade with ambidextrous thumb-stud opener.

551SBK



### CONFIGURATIONS/MSRP

CONFIGU	KAIIU	N S/IVI	SKP
551			\$110
551S	SERR		\$110
551SBK	SERR	BLK	\$125
551SBK0D	SERR	BLK	\$125
551-0RG			\$110
551S-0RG	SERR		\$110
551SBK-ORG	SERR	BLK	\$125
551SBKSN	SERR	BLK	\$130
551H20			\$130
551SH20	SERR		\$130
551T (440C STEEL)			\$90
556			\$100
556S	SERR		\$100
556SBK	SERR	BLK	\$115
556SBK0D	SERR	BLK	\$115
556-BLU			\$100
556S-BLU	SERR		\$100
556-YEL			\$100
556S-YEL	SERR		\$100
556-PNK			\$100
556S-PNK	SERR		\$100



\*See above for sizes and weights

556S

 $\mathcal{D}$ 

( )

### **GRIPTILIAN**<sup>®</sup> FAMILY BENCHMADE DESIGN • U.S.A.

### 550HG / 555HG Griptilian®

Hollow ground modified sheepsfoot blade with ambidextrous thumb-hole opener.

550SHG	SERR		\$110
550BKHG		BLK	\$125
550SBKHG	SERR	BLK	\$125
550BKHG0D		BLK	\$125
550BKHGSN		BLK	\$130
550T (440C STEEL)			\$90
555HG			\$100
555HG-BLU			\$100
555HG-YEL			\$100
555SHG	SERR		\$100
555BKHG		BLK	\$115
555SBKHG	SERR	BLK	\$115
555SBKHG0D	SERR	BLK	\$115
555SHG-BLU	SERR		\$100
555SHG-YEL	SERR		\$100
555HG-PNK			\$100
555SHG-PNK	SERR		\$100

557SBKSN SERR BLK

\$120

**CONFIGURATIONS/MSRP** 

\$110

550HG

550HG



555SHG

\*See pg 28 for sizes and weights

### 553 / 557 Griptilian® Tanto blade with ambidextrous thumb-stud opener. **CONFIGURATIONS/MSRP** 553 \$110 553S SERR \$110 553SBK SERR BLK \$125 553SBK0D SERR BLK \$125 557 553SBK 553SBKSN SERR BLK \$130 \$100 557 557S \$100 SERR Sand 557SBK SERR BLK \$115 557SBKOD SERR BLK \$115 Olive Drab

\*\*\*

\*See pg 28 for sizes and weights

### **CUSTOM GRIPTILIAN°**

BENCHMADE DESIGN • U.S.A.

Choose from a variety of blade steels, handle colors, custom laser etching, and hardware. The options are endless! To create your custom grip and see pricing options, please visit:

### www.benchmade.com/customize

ENCH	ADE	00.4.249		T and the	
لدوار منصحتهم ال	and interim	Philippine 1			an a
gad a fea easy steps pr tote: This spation feature	New Griptilian <sup>®</sup> without a tray unique depaier <sup>®</sup> is only available to 0.2 and General	'n natel yn referiaal aann. 1 a fin ône Phan albe 34 annin	cours		-
Corrige par			ANIS	Pare	Onio
O epis-contra an din	•	A A	-		Onios
HANDLE COLOR					
LAPT HANDLA COLOR.			<b>FCKEWE</b>	Tauna .	Owner
			CLIP*		
		K. H.	Character     Character		
BLADE			Overeit		69. ·
desire in second	O servers	00 10°	04610	MUTR	
Disertory trade that Disertory trade that Disectory trade		-9-	TENT	HERE BACK	MADE
·	0 NAGE	29	CONTRACTOR OF	supering ingo an	- Linkson
	Dolan		A80 T0	CART	
	O saw and		1000		
DESCRIPTION		.7 3	* KNOPE IN REPERENC	NDES ARE NOT	485-104
-					



### THE RIGHT TOOL FOR THE RIGHT CAUSE

A portion of the profits from the sale of this knife are donated to the OHSU Breast Cancer Institute. Available in 555HG and 556 versions.

### MSRP: \$100.



Benchmade is a proud supporter of the OHSU Breast Cancer Research Institute.



### 551H20 Griptilian®

 Featuring highly corrosion resistant N680 blade steel (57-59 HRC)



### 551H20

BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.07" (20.50cm)
CLOSED	4.62" (11.73cm)
WEIGHT	3.25oz (92.13g)
ANDLE THICKNESS	0.64" (16.29mm)

CONFIGURATIONS/MSRP			
551H20		\$130	
551SH20	SERR	\$130	

### 111H20

ŀ

### Our water knives offer great corrosion resistance, cutting ability and edge retention.

- AXIS<sup>®</sup> locking mechanism on folder, blunt tip on fixed blade
- N680 highly corrosion resistant blade steel (57-59HRC)
- Modified sheepsfoot blade style with ambidextrous thumb-stud
- Grivory<sup>®</sup> handle scales and a reversible tip-up pocket clip



BLADE LENGTH BLADE THICKNESS 0.114" (2.90mm)

3.45" (8.76cm) **OPEN** 8.07" (20.32cm) **CLOSED** 4.62" (11.73cm) WEIGHT 4.90oz (139.50g) HANDLE THICKNESS 0.522" (13.26mm)

111H20-BLK	\$130
111SH20-BLK SERR	\$130
111H20-YEL	\$130
111SH20-YEL SERR	\$130

**BENCHMADE'S BONE COLLECTOR LINE CELEBRATES** THE CULTURE OF THE HUNTER, THE BROTHERHOOD **OF SPORTSMEN WHO HAVE TRUE PASSION FOR THE** HUNT, THE LAND AND THE LIFESTYLE.

LECTOR

15055

Handles are available in either green/black G10 or cocobolo wood

NEW

### 15055 2.89" (7.34cm)

3.65oz (103.5g)

0.45" (11.43mm)

BLADE LENGTH BLADE THICKNESS 0.114" (3.66mm) **OPEN** 6.54" (16.61cm) CLOSED 3.65" (9.27cm) WEIGHT HANDLE THICKNESS

15055-1	Green/Blk	\$130
15055-2	Wood	\$130

### **BONE COLLECTOR™**





KNIVES FEATURE:

- D2 tool steel (60-62HRC)
- Contoured with rib cage pattern for extra grip

### 15050 Lock-Back Folding Knives Handles are available in either green Micarta or cocobolo



 15050

 BLADE LENGTH
 3.73" (9.47cm)

 BLADE THICKNESS
 0.13" (3.27mm)

 OPEN
 8.48" (21.54cm)

 CLOSED
 4.75" (12.07cm)

 WEIGHT
 3.75oz (106.29)

 HANDLE THICKNESS
 0.53" (3.65mm)

15050	Gr Micarta	\$140
15050-2	Wood	\$140

### **BONE COLLECTOR™**



KNIVES FEATURE:

- D2 tool steel (60-62HRC)
- Contoured with rib cage pattern for extra grip

### 15020/15030 AXIS® Folding Knives

Two handle options available: layered green/black G10 or walnut wood.



			_		
			CONFIG	URATIONS/	MSRP
			15020-1	Green/Blk	\$155
	15020	15030	15020S-1	Green/Blk	\$155
BLADE LENGTH	3.36" (8.50cm)	2.95" (7.50cm)	15020-2	Wood	\$160
<b>BLADE THICKNESS</b>	0.125" (3.14mm)	0.115" (2.87mm)	15020S-2	Wood	\$160
OPEN	8.20" (20.80cm)	7.08" (18.00cm)	15030-1	Green/Blk	\$140
CLOSED	4.84" (12.30cm)	4.13" (10.50cm)	15030S-1	Green/Blk	\$140
WEIGHT	5.59oz (165.50g)	3.46oz (102.50g	15030-2	Wood	\$145
HANDLE THICKNESS	0.735" (18.66mm)	0.62" (15.69mm)	15030S-2	Wood	\$145

### **Fixed Blade Knives**

- 15000/15005/15010
- D2 tool steel (60-62HRC)
- Layered green/black G10 or walnut wood
- 15015: Micarta or cocobolo wood







GENUINE LEATHER Fixed blade sheaths Brown: Wood handle Black: G10 handle \*sheath not pictured for 15015



# 15040 Gut Hook

Makes cleaning game as easy as unzipping your jacket. 440C stainless steel full-tang blade (58-60HRC). length: 5.71° (14.50cm)

weight: 1.54oz (45.50g)

CONFIGURATIONS/MSRP				
15000-1	Green/Blk	\$105		
15000-2	Wood	\$115		
15000S-2	Wood	\$115		
15000S-1	Green/Blk	\$105		
15005-1	Green/Blk	\$120		
15005-2	Wood	\$130		
15010-1	Green/Blk	\$120		
15010-2	Wood	\$130		
15015	Micarta	\$110		
15015-2	Wood	\$120		
15040		\$35		

BLADE LENGTH BLADE THICKNESS OVERALL LENGTH WEIGHT HANDLE THICKNESS 
 15000
 2

 4.00" (10.20cm)
 0

 0.125" (3.17mm)
 0

 8.00" (20.30cm)
 3

 3.46oz (98.50g)
 0


 0.59" (14.98mm)
 0


**15005/15010** 4.10" (10.40cm) 0.140" (3.55mm) 8.125" (20.60cm) 4.50oz (128.11g) 0.60" (15.23mm) 15015 2.68" (6.81cm) 0.14" (3.56mm) 6.30" (16.00cm) 3.01oz (85.2g) (wood) 0.57" (14.70mm)



# BLACK CLASS

Used by professionals when quality tools can mean the difference between life and death. From law enforcement and public safety to elite military troops, our obligation is still the same: The best equipment for the job. Imagine what they can do for you.





# SIBERT DESIGN • U.S.A.

## 275 Manual / 2750 Automatic

- 275 Folder: AXIS<sup>®</sup> locking mechanism with thumb-stud opener 2750 Auto: Auto-AXIS® locking mechanism
- D2 tool steel (60-62HRC)
- Tactical drop-point blade style
- G10 handle with lanyard hole and full stainless steel liners
- Reversible deep-carry tip-up pocket clip

275BK

Sheath with Malice Clip® included

275SBKSN

### **175 Fixed Blade**



	175	275/2750	375
BLADE LENGTH	2.50" (6.35cm)	3.82" (9.70cm)	4.20" (10.68cm)
BLADE THICKNESS	0.125" (3.175mm)	0.160" (4.06mm)	0.170" (4.32mm)
OVERALL LENGTH	5.47" (13.893cm)	8.70" (22.10cm)	9.03" (22.93cm)
CLOSED	-	4.88" (12.40cm)	-
WEIGHT	2.32oz (65.77g)	275: 7.68oz (217.50g) 2750: 7.54oz (213.60g)	5.60oz (158.75g)
HANDLE THICKNESS	0.25" (6.35mm)	0.73" (18.54mm)	0.17" (4.32mm)
SHEATH WEIGHT	1.70oz (48.19g)	1.50oz (42.52g)	1.11 oz (31.61g)







### **Rangers Lead the Way**

Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Ranger Assistance Foundation. For more information, please visit benchmade.com/adamas.

### 375 Fixed Blade

- D2 tool steel (60-62HRC)
- Drop-point blade style with serrations on spine
- Injection-molded sheath with secondary locking strap and tension screw

375SN

375BKSN Includes Sand Sheath



Tek-Lok included

### CORD WRAP

(paracord included) To view video, scan code below or visit: www.benchmade.com/375



CONFIGURATIONS/MSRP				
2750BKSN		BLK	\$250	
2750SBKSN	SERR	BLK	\$250	
275BK		BLK	\$195	
275SBK	SERR	BLK	\$195	
275BKSN		BLK	\$195	
275SBKSN	SERR	BLK	\$195	
375SN		SAND	\$160	
375BKSN		BLK	\$160	
375BK		BLK	\$160	
175BK		BLK	\$100	
175BKSN		BLK	\$100	

375 ADAMAS® Tolinutie Rinkhill

# **FAILURE IS NOT AN OPTION**

There's a reason military personnel the world over carry tools like the 375. They work indefinitely. Until the job is done. No matter what the landscape, the Adamas<sup>®</sup> promises military-grade utility you can rely on. INFIDEL® FAMILY MCHENRY DESIGN • U.S.A.



### 3300 Infidel<sup>®</sup>

### NSN: 1095-01-598-4471 (3300BK) The Infidel's® out-the-front mechanism is smooth and rock solid.

- Double action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061 T-6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port



Sheath with Malice Clip® included

### 3350 Mini-Infidel®

NSN: 1095-01-598-4471 (3300BK) Our popular Infidel® out-the-front auto comes in a slightly smaller package.

- Double action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061 T-6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port





	3300	3350			
BLADE LENGTH	3.91" (9.93cm)	3.10" (7.87cm)			
<b>BLADE THICKNESS</b>	0.118" (2.99mm)	0.104" (2.28mm)	CONFIGURA	TIONS/M	SRP
OPEN	8.91" (22.63cm)	7.10" (21.35cm)	3300		\$465
CLOSED	5.00" (12.70cm)	4.00" (10.16cm)	3300BK	BLK	\$480
WEIGHT	4.90oz (138.91g)	3.40oz (100.55g)	3350		\$395
HANDLE THICKNESS	0.59" (14.90mm)	0.54" (13.71mm)	3350BK	BLK	\$410



# The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.

- Push-button automatic with integrated safety
- 9051: drop-point blade style 9052: tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with open backspacer
- Four possible clip positions; reversible, tip-up or tip-down

9052 Tanto

9051SBK Drop-Point



Sheath included

### CONFIGURATIONS/MSRP

9051			\$240
9051S	SERR		\$240
9051BK		BLK	\$255
9051SBK	SERR	BLK	\$255
9052			\$240
9052S	SERR		\$240
9052BK		BLK	\$255
9052SBK	SERR	BLK	\$255

### **9051/9052** 3.56" (9.0cm)

0.125" (3.175mm) 8.51" (21.6cm) 4.95" (12.6cm) 5.8oz (164.42g) 0.60" (15.23mm)

BLADE LENGTH
<b>BLADE THICKNESS</b>
OPEN
CLOSED
WEIGHT
HANDLE THICKNESS

# 9101 AUTO STRYKER° 9500 MINI-AUTO STRYKER°

BENCHMADE DESIGN • U.S.A.

### NSN: 1095-01-577-1801 (9101SBK)

The 9101 next generation Auto-Stryker<sup>®</sup> incorporates a larger, stronger locking button, open back spacer design for easy maintenance and increased spring force.

X

- Push-button automatic with integrated safety
- 154CM stainless steel tanto blade (58-61HRC)
- Machined 6061 T-6 black anodized aluminum handle
- 9101: Four possible clip positions; reversible, tip-up or tip-down



	9101	9500				
BLADE LENGTH	3.60" (9.10 cm)	2.95" (7.49cm)				
BLADE THICKNESS	0.124" (3.15mm)	0.100" (2.54mm)				
OPEN	8.30" (21.08cm)	7.21" (18.31cm)	CONFIGU	IRATIO	NS/M	ISRP
CLOSED	4.70" (11.94cm)	4.26" (10.82cm)	9101BK		BLK	\$255
WEIGHT	4.20oz (110.56g)	2.90oz (82.21g)	9101SBK	SERR	BLK	\$255
HANDLE THICKNESS	0.50" (12.70mm)	0.47" (11.90mm)	9500SBK	SERR	BLK	\$210

### 2550 MINI-REFLEX BENCHMADE DESIGN • U.S.A.

### Test your reflexes with this small, push-button auto.

- Push-button automatic with integrated safety
- 154CM stainless steel utility drop-point blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with tip-up pocket clip

2550	
3.16"	(8.

BLADE LENGTH **BLADE THICKNESS** OPEN CLOSED WEIGHT HANDLE THICKNESS

3.16" (8.03cm)
0.100" (2.54mm)
7.32" (18.59cm)
4.16" (10.57cm)
2.70oz (76.54g)
0.47" (11.90mm)

CONFIGU	JRATIC	)NS/IV	ISRP
2550			\$195
2550SBK	SERR	BLK	\$210

3550 PARDUE DESIGN • U.S.A.

### The spear-point blade shape of this small auto offers enhanced tip qualities.

- Push-button automatic with integrated safety
- 154CM stainless steel spear-point blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with tip-down pocket clip



### 3550

BLADE LENGTH BLADE THICKNESS OPEN CLOSED WEIGHT

2.98" (7.57cm) 0.090" (2.29mm) 7.10" (18.03cm) 4.10" (10.41cm) 2.80oz (79.38g) HANDLE THICKNESS 0.47" (11.90mm)

### **CONFIGURATIONS/MSRP**

3550			\$195
3550SBK	SERR	BLK	\$210



### The perfect small, gentleman's auto.

- Push-button auto with integrated safety
- Modified drop-point blade style
- S30V premium stainless steel (58-60HRC)
- Machined aluminum handle with G10 inlay and tip-down pocket clip



 BLADE LENGTH
 1.98" (5.02cm)

 BLADE THICKNESS
 0.100" (2.54mm)

 OPEN
 5.03" (12.77cm)

 CLOSED
 3.06" (18.03cm)

 WEIGHT
 2.10oz (62.10g)

 HANDLE THICKNESS
 0.35" (8.88mm)

### **CONFIGURATIONS/MSRP**

5150		\$160
3150BK	BLK	\$175





### Latin for "protect" or "shield," the Contego tactical folder is built with toughness and durability for any occasion.

- AXIS<sup>®</sup> locking mechanism
- · Reverse tanto blade with ambidextrous thumb-stud openers
- CPM-M4 steel blade with gray or black Cerakote<sup>™</sup> (62-64HRC)
- Textured G10 handle scales with stainless steel backspacer, full liners and reversible deep-carry tip-up pocket clip
- Carbide glass breaker



**Glass breaker** 

### BLADE LENGTH 3.98" (10.11cm) BLADE THICKNESS OPEN WEIGHT

0.156" (3.96mm) 9.28" (23.57cm) CLOSED 5.30" (13.46cm) 5.92oz (167.7g) HANDLE THICKNESS 0.55" (13.91mm)

810

### **CONFIGURATIONS/MSRP**

810		GRAY	\$210
810S	SERR	GRAY	\$210
810BK		BLK	\$210
810SBK	SERR	BLK	\$210

### 47



BENCHMADE DESIGN • U.S.A.

# The dynamic Triage® packaged in high-strength aluminum with the speed and efficiency of AXIS® auto and an automatic opening hook.

- AXIS® pull release with integrated safety
- Modified drop-point blade style
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C automatic opening hook-shaped safety cutter (58-60HRC)
- Anodized black aluminum handles with textured G10 inlays
- Carbide glass breaker

|--|

9170	\$270
9170S	\$270
9170BK	\$285
9170SBK	\$285
9170-0RG	\$270
9170S-0RG	\$270
9170BK-0RG	\$285
9170SBK-0RG	\$285

Sheath optional, see page 70. 984094F and 984093F

9170

BLADE LENGTH BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS

3.58" (9.09cm) 0.124" (3.15mm) 8.31" (21.11cm) 4.73" (12.01cm) 5.75oz (163.0g) 0.58" (14.73mm)

NSN: 4240-01-598-4341 (916SBK)

This dynamic triple utility tool includes a knife, safety hook and glass breaker.

- AXIS<sup>®</sup> locking mechanism
- 915: Modified sheepsfoot blade style 916: Opposing bevel blade style
- Ambidextrous thumb studs
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C hook-shaped safety cutter (58-60HRC)
- Textured G10 handles (available in black or safety orange) with full stainless steel liners and a reversible deep-carry tip-up pocket clip
- Carbide glass breaker

### **Glass breaker**





915 Sheepsfoot

916SBK-ORG **Opposing Bevel** 

### CONFIGURATIONS/MSRP

CONTIGORATION S/MSKT								
915			\$170					
915S	SERR		\$170					
915BK		BLK	\$185					
915SBK	SERR	BLK	\$185					
915-0RG			\$170					
915S-0RG	SERR		\$170					
915BK-0RG		BLK	\$185					
915SBK-ORG	SERR	BLK	\$185					
916			\$170					
916S	SERR		\$170					
916BK		BLK	\$185					
916SBK	SERR	BLK	\$185					
916-0RG			\$170					
916S-0RG	SERR		\$170					
916BK-0RG		BLK	\$185					
916SBK-ORG	SERR	BLK	\$185					

Sheath optional, see page 70. 984094F and 984093F

# 915/916

HOOK LENGTH BLADE THICKNESS OPEN WEIGHT HANDLE THICKNESS 0.45" (11.43mm)

BLADE LENGTH 3.50" (8.89cm) 2.00" (5.08cm) 0.130" (3.02mm) 8.20" (20.82cm) 4.70" (11.93cm) 5.10oz (144.58g)



# THE WORST MOMENTS THE BEST EQUIPMENT

Maybe it's leather boots. Triple-paned glass. Layers of fire-retardant camo. Whatever stands between you and the rescue won't, with the Triage.



# 8600 **AUTO BEDLAM**<sup>®</sup> & 860 MANUAL BEDLAM®

BENCHMADE DESIGN • U.S.A.

### The scimitar-like blade on this big folder offers great functionality and a unique look and feel.

- 8600: AXIS<sup>®</sup> pull release with integrated safety
- 860: AXIS<sup>®</sup> locking mechanism and ambidextrous thumb-stud openers
- 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales with reversible tip-up deep-carry pocket clip



### 8600/860

BLADE LENGTH BLADE THICKNESS OPEN WEIGHT HANDLE THICKNESS 0.60" (15.18mm)

4.00" (10.16cm) 0.121" (3.175mm) 9.76" (24.79cm) CLOSED 5.76" (14.64cm) 7.30oz (207.83g)

### **CONFIGURATIONS/MSRP**

	BLK	\$280
SERR	BLK	\$280
		\$225
SERR	BLK	\$240
		BLK SERR BLK SERR BLK



### 9555 AUTO RIFT<sup>®</sup> & 950/950-1 **MANUAL RIFT**® BENCHMADE DESIGN • U.S.A.

### Reverse tanto for toughness, large-bellied blade for utility cutting, and textured G10 handle scales help you get a firm grip on any situation.

- 9555: AXIS<sup>®</sup> pull release with integrated safety
- 950/950-1: AXIS® locking mechanism with ambidextrous thumb-stud openers
- 154CM stainless steel blade (58-61HRC)
- G10 handle scales with reversible tip-up pocket clip

9555 Automatic

950-1 Black Handles 950 Layered Black & Gray Handles (Manual only)

(	;0	N	F)	[G	U	R/	AT	10	DN	S/	M	S	RI	P

9555			\$245
9555S	SERR		\$245
9555BK		BLK	\$260
9555SBK	SERR	BLK	\$260
950			\$190
950SBK	SERR	BLK	\$205
950-1			\$190
950SBK-1	SERR	BLK	\$205

### 9555/950/950-1 3.67" (9.32cm) 0.114" (2.90mm)

4.80oz (136.08g)

BLADE LENGTH BLADE THICKNESS **OPEN** 8.27" (21.00cm) **CLOSED** 4.60" (11.68cm) WEIGHT HANDLE THICKNESS 0.56" (14.28mm)

53

### NSN

# PRESIDIO<sup>®</sup> FAMILY

PARDUE DESIGN • U.S.A.

NSN: 4220-01-546-0478 (5000SBK) A multi-directional positive grip defines these tough, reliable folders.

- Auto features AXIS<sup>®</sup> pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous thumb-studs
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with double 420J liners and a reversible tip-up pocket clip
- MOLLE<sup>®</sup> soft sheath (5000 only)

Presidio Tanto 5300SBK (Automatic)

> Presidio Drop-Point 5000SBK (Automatic) 520 (Manual)

5000 includes sheath with Malice Clip®





5000T - Auto-Trainer

### CONFIGURATIONS/MSRP **AUTOMATICS**

5000			\$245	
5000SBK	SERR	BLK	\$260	
5000T			\$155	
5300SBK	SERR	BLK	\$260	
5500			\$220	
5500S	SERR		\$220	
5500BK		BLK	\$235	
5500SBK	SERR	BLK	\$235	

### **CONFIGURATIONS/MSRP** MANUAL

520			\$190
520SBK	SERR	BLK	\$205
520T			\$130
525			\$175
525S	SERR		\$175
525SBK	SERR	BLK	\$190

Mini-Presidio 5500SBK (Automatic) 525 (Manual)

5500/525

2 97" (7 54cm)

0.115" (2.92mm)

7.12" (18.08cm)

4.15" (10.54cm)

3.70oz (104.89g)

0.50" (12.60mm)

5000/520/5300

0.125" (3.175mm)

8.25" (20.96cm)

4.87" (12.37cm)

5.60oz (158.76g)

3.47" (8.81cm)

### PRESIDIO ULTRA® FAMILY pardue design • U.S.A.

# These tactical, lightweight autos deliver strength and speed in any situation.

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS<sup>®</sup> locking mechanism and ambidextrous thumb-studs
- 440C stainless steel drop-point blade (58-60HRC)
- Noryl GTX<sup>®</sup> handle with reversible tip-up pocket clip

Mini-Presidio Ultra 527SBK (Manual) 5270SBK (Automatic)

Predisio Ultra 522SBK (Manual) 5220SBK (Automatic)

> Benchmade is pleased to partner with USA Shooting to help in their mission of preparing American athletes to win Olympic medals and promote shooting sports throughout the United States. A portion of the proceeds from every unit sold will be donated to the USA Shooting Team.

For more info, please visit www.usashooting.org. 527BK-USA \$115 527SBK-USA \$115



### 522/5220 527/5270 BLADE LENGTH 3 47" (8 81cm) 2 97" (7 54cm) BLADE THICKNESS 0.125" (3.175mm) 0.115" (2.92mm) OPEN 8.25" (20.96cm) 7.12" (18.08cm) 4.87" (12.37cm) 4.15" (10.54cm) CLOSED WEIGHT 4.80oz (136.07g) 3.10oz (87.88g) HANDLE THICKNESS 0.64" (16.30mm) 0.50" (12.60mm)

### CONFIGURATIONS/MSRP AUTOMATICS

5220			\$210
5220S	SERR		\$210
5220BK		BLK	\$225
5220SBK	SERR	BLK	\$225
5270			\$190
5270S	SERR		\$190
5270BK		BLK	\$205
5270SBK	SERR	BLK	\$205

### CONFIGURATIONS/MSRP MANUAL

	522			\$110
	522S	SERR		\$110
	522BK		BLK	\$125
5	522SBK	SERR	BLK	\$125
	527			\$100
	527S	SERR		\$100
	527BK		BLK	\$115

# 140/141 NIMRAVUS®

BENCHMADE DESIGN • U.S.A.

**NSN** 

NSN: 1095-01-466-8569 (140SBK) Our all-time best-selling combat fixed blade.

- 140: Drop-point blade style 141: Modified tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Full-tang anodized, machined 6061 T-6 aluminum handle

141SBK

- Includes multifunction  $\texttt{MOLLE}^{\texttt{s}}$  compatible nylon sheath

140BK

MOLLE COMPATIBLE

140T Trainer

Other sheath options available separately.

Coyote (SN)

Black

# CONFIGURATIONS/MSRP140BKBLK\$180

			140SBK	SERR	BLK	\$180	
	140	141	140SBKSN	SERR	BLK	\$195	
			140SBK-ADC	SERR	BLK	\$195	
BLADE LENGTH	4.50" (11.43cm)	4.50" (11.43cm)		0 Entit	DEIX	φ1 /5	
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)	140T (440C STEEL)			\$140	
OVERALL LENGTH	9.45" (24.00cm)	9.45" (24.00cm)	141BK		BLK	\$180	
WEIGHT	6.20oz (174.95g)	5.86oz (161.13g)	141SBK	SERR	BLK	\$180	
HANDLE THICKNESS	0.58" (14.79mm)	0.58" (14.79mm)	141SBKSN	SERR	BLK	\$195	
SHEATH WEIGHT	5.00oz (141.75g)	5.00oz (141.75g)	141SBK-ADC	SERR	BLK	\$195	

### NEW 172BKF TOMAHAWK KILLIAN DESIGN • U.S.A.

### NSN: 4240-01-598-4253 (172BKF)

### Differentially heat treated, the 4140 steel and textured G10 handles make this tomahawk a very dynamic tool.

- 4140 carbon blade steel
- Full-tang handle with textured G10 cross-hatched pattern for ultimate grip
- Contoured wedged end for prying
- Differentially heat treated for increased durability
- Includes MOLLE<sup>®</sup> compatible sheathvisit www.benchmade.com.



SPIKE LENGTH BLADE THICKNESS OVERALL LENGTH WEIGHT HANDLE THICKNESS

0

7.50" with 3.50" edge face 3.50" (8.90cm) 0.360" (9.14mm) 16.25" (41.27cm) 36.8oz (1.04kg) 0.96" (24.38mm) SHEATH WEIGHT 5.50oz (155.92g)

172BKF

### CONFIGURATION/MSRP

172BKF BLK \$380

176 **SOCP DAGGER** THOMPSON DESIGN • U.S.A.

# This 176 SOCP skeletonized dagger is the optimal tool for self-defense.

- Skeletonized fixed blade dagger or trainer; features premium blade steel
- Finger loop for ease of deployment and use
- Injection-molded sheath in black or sand with clip and lanyard cord





176BKSN

### CONFIGURATIONS/MSRP 176BK Black danger & black sheath BLK \$100

			black augger of maon mean		
DAGGER LENGTH	<b>176 DAGGER</b> 7.25" (18.42cm)	176 TRAINER 6.81" (17.30cm)	176BK-COMBO Black dagger & sheath with trainer	BLK	\$140
BLADE LENGTH	3.22" (8.18cm)	2.78" (7.06cm)	176BKSN Black dagger & sand sheath	BLK	\$100
HANDLE LENGTH DAGGER THICKNESS	4.03" (10.24cm) 0.195" (4.70mm)	4.03" (10.24cm) 0.175" (4.70mm)	176BKSN-COMBO Black dagger & sand sheath with trainer	BLK	\$140
WEIGHT SHEATH WEIGHT	2.20oz (62.37g) 1.00oz (28.35g)	2.31oz (65.49g) 1.00oz (28.35g)	176T Trainer with sheath		\$60

175BK

175 CBK BENCHMADE DESIGN • U.S.A.

### A versatile push dagger designed for durability and strength.

- 440C stainless steel double-edge spear-point with chisel-ground edge (58-60HRC)
- Vinyl coated handle, full-tang
- Molded Kydex®/thermoplastic sheath with reversible belt clip to fit up to a 2-inch duty belt (available in black or sand)



175			
	п.	7	E .
	т	1	Э

BLADE THICKNESS **OVERALL LENGTH** 5.47" (13.893cm) HANDLE THICKNESS SHEATH WEIGHT 1.70oz (48.19g)

BLADE LENGTH 2.50" (6.35cm) 0.125" (3.175mm) WEIGHT 2.32oz (65.77g) 0.25" (6.35mm)

### **CONFIGURATIONS/MSRP**

175BK	BLK	\$100
175BKSN	BLK	\$100

### SAFETY CUTTER FAMILY BENCHMADE DESIGN • U.S.A.





Cut quickly and reliably in an emergency situation. All of our safety cutters are made alongside our knives in the U.S.A.

- 440C premium stainless steel used in 5, 7 and 8 hooks (58-60HRC)
- Sheath color options are black, coyote and foliage green
- Blade opening: 0.50" (12.67mm)

### 8 Hook

NSN: 4240-01-568-3219 (8BLKW) The longer handle provides greater reach and leverage.



### **8 BLKWMED**

8 BLKW

6.50" (16.51cm) WEIGHT 1.50oz (42.97g)

OVERALL LENGTH

NSN: 4240-01-599-4970 (8BLKWMED) This hook is ideal for cutting bandages, medical tubing, casts and uniforms. O<sub>2</sub> wrench laser cut in blade. 8 BLKWMED includes a carbide glass breaker.



### **CONFIGURATIONS/MSRP**

8 BLKW	BLK	\$35
8 BLKWMED	BLK	\$35

>

 $\triangleright$ 

 $\bigcirc$ 



### SAFETY CUTTER FAMILY BENCHMADE DESIGN • U.S.A.

### 7 Hook

NSN: 4240-01-543-9618 (7BLKW) The larger handle design works well with gloved hands and the coated handle allows for better grip.



Sheath available in sand: 7 BLKWSN

BENCHMADE



### 5 Hook

This small, compact design is great for lightweight carry.

			CONFIGURATIONS/MSRP		SRP
	7 Hook	5 Hook	7 BLKW	BLK	\$35
OVERALL LENGTH	4.30" (10.92cm)	2.90" (7.37cm)	7 BLKWSN	BLK	\$35
WEIGHT	1.50oz (42.97g)	1.20oz (33.97g)	5 BLKW	BLK	\$35



### 9 CB Hook<sup>®</sup>

Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.



### **CONFIGURATIONS/MSRP**

9 CB-BLK	\$30
9 CB-YEL	\$30
30200 yellow	\$40
30210 black	\$40

	9 CB Hook
LENGTH	5.19" (13.18cm)
WEIGHT	0.80oz (22.77g)

Houdini Pro

Professional rescue tool

seatbelt cutter and LED flashlight. Made in China.

# NARCOTICS PROBES & INTERDICTION KIT

BENCHMADE DESIGN • U.S.A.

# Safely inspect suspicious packages, cargo, seat upholstery, tires and more with these high-grade aluminum probes.

- Our probes come in a variety of lengths and diameters, ranging in size from 64" for the model 164 to 18" for models 118 and 124
- Each probe has a pointed, perforated tip for sample extraction and retention
- Threaded construction allows for easy assembly
- Combo kit includes 118 probe, 8 Hook safety cutter and model 916 Triage® knife

164, 124, 118 Sheaths (included)

	118	124	164
LENGTH	18.34" (46.58cm)	18.55" (47.12cm)	64.55" (163.96cm)
DIAMETER	0.188" (4.76mm)	0.375" (9.59mm)	0.375" (9.59mm)
WEIGHT	1.49oz (42.2g)	13.61oz (385.7g)	20.77oz (589g)
SHEATH WEIGHT	0.99oz (28.0g)	1.34oz (38.0g)	2.91oz (82.6g)


124

118

### **Kit Includes:**

164

and the second



# NSN/GSA PRODUCTS



**5000SBK AUTO-PRESIDIO** 4220-01-546-0478 PAGE 54



**3350BK MINI-INFIDEL** 1095-01-598-4343 PAGE 42



**583SBK BARRAGE** 1095-01-598-4472 PAGE 12



**3300BK INFIDEL** 1095-01-598-4471 PAGE 42



**916SBK TRIAGE** 4240-01-598-4341 PAGE 49





**7 BLKW HOOK** 4240-01-543-9618 PAGE 61



8 BLKWMED HOOK 4240-01-599-4970 PAGE 60





8 BLKW HOOK 4240-01-568-3219 PAGE 60

# NSN/GSA PRODUCTS

### **NSN/GSA PROCUREMENT INSTRUCTIONS**

- Visit our Dealer Locator at BENCHMADE.COM and enter your zip code to find your nearest dealer.
- Purchase certain Benchmade knives through the National Stocking System.
- Benchmade knives are offered by General Services Administration Federal Supply Service. Visit GSAADVANTAGE.GOV. Our contract number is: GS-07F-0537T.
- Register as a new Benchmade Public Safety customer at benchmade.com. Make sure to submit an online "Auto Knife Opening Acknowledgement" agreement if you ever plan to purchase restricted products.
- Email us at military@benchmade.com and you will be in direct contact with Benchmade's Fed/Gov Sales Department.



ADAMAS 375BK 1095-01-609-1271 PAGE 39



ADAMAS 375SN 1095-01-609-1274 PAGE 39





# Our precision crafted writing tools are proudly made in the U.S.A.

- Ergonomic knurling patterns
- Anodized aluminum bodies, with the addition of titanium, stainless steel or damascus in the 1100
- Caps securely snap open or closed
- Fisher ink cartridges refills available at benchmade.com



### **CONFIGURATIONS/MSRP**

Silver / Blue Ink \$150

1200-1

			1200-2	Silver / Black Ink	\$150
			1200-3	Black / Blue Ink	\$150
	1200	1210	1200-4	Black / Black Ink	\$150
PEN THICKNESS	0.39" (1.00cm)	0.58" (1.47cm)	1210-1	Silver / Blue Ink	\$150
OPEN W/OUT CAP	5.03" (13.80cm)	5.78" (14.70cm)	1210-2	Silver / Black Ink	\$150
CLOSED W/ CAP	5.98" (15.17cm)	6.00" (15.26cm)	1210-3	Black / Blue Ink	\$150
ALUMINUM WEIGHT	0.95oz (26.93g)	1.30oz (36.85g)	1210-4	Black / Black Ink	\$150

BENCHMADE PENS BENCHMADE DESIGN • U.S.A.

### 1100 Series

### ALUMINUM



PEN THICKNE	SS
OPEN W/OUT C	AP
CLOSED W/ C	AP
ALUMINUM WEIG	нт
STAINLESS WEIG	нт
DAMASCUS WEIG	нт

0.50" (1.27cm) 5.10" (12.97cm) 5.33" (13.54cm) 1.30oz (36.85g) 3.20oz (90.72g) 3.20oz (90.72g)

GORATIONS/WSKI	-
Aluminum	\$120
Aluminum with Carbide Tip	\$130
Titanium	\$210
Stainless Steel	\$180
Damascus	\$250
	Aluminum with Carbide Tip Titanium Stainless Steel



Blue Classic Short-Sleeve Tee, Blue M, L, XL, 2XL .......... \$20.00



Front Left Chest Back
Failure is Not an Option
Short-Sleeve Tee, Black
M, L, XL, 2XL ......\$20.00



 Tribal Band

 Slimmer Fit Short-Sleeve Tee,

 Asphalt Gray

 MENS – M, L, XL, 2XL ..... \$20.00

 LADIES – S, M, L, XL ...... \$20.00



No Time for Maybe Short-Sleeve Tee, Sand M, L, XL, 2XL ....... \$20.00



Sting Like a Butterfly Long-Sleeve Hoodie, Black M, L, XL, 2XL ....... \$40.00



Full-zip Hoodie Full Zip Hoodie, Black S, M, L, XL, 2XL .....\$50.00

# APPAREL



### Men's OGIO® Jacket

 100% poly stretch shell bonded to poly mesh with a laminated film insert for wind and water resistance

- 3,000MM waterproof rating
- 3,000G/M breathability rating
- S, M, L, XL, 2XL; Black ...... \$115.00



Ladies' OGIO® Polyfleece • 100% poly interlock bonded to 12-ounce, 100% poly microfleece • Zip-through cadet collar with rib knit detail XS, S, M, L, XL, 2XL; Blue ........\$75.00







Benchmade Pint Glass 988053F .....\$10.00



Logo Beanie 983793F – Gray \$12.00 988051F – Black \$12.00



Black Flexfit® Hat 983881F - S-M ...... \$20.00 983798F - L-XL...... \$20.00



Tactical Hat 987908F; Coyote Tan...... \$20.00



**Trucker "Solid Steel"** 983881F – S-M...... \$20.00 983798F – L-XL...... \$20.00

**X-Marks the Spot** 987908F; Coyote Tan...\$20.00

# SHEATHS

### Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice Clip® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized fit offer a true fit. Made in USA.

MOLLE® Folder Pouch......\$25.00 A. 984818F - Black for models 3300 and 9051/9052 B. 984094F - Black for models 5000, 915/916 and 9170 C. 984093F - Coyote for models 5000, 915/916 and 9170



140/141 Fixed Sheath (MOLLE® Compatible) Sheaths come standard with Malice Clip® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife

securely and a snap-around closure secures the handle. Made in USA. MOLLE® Fixed Soft Sheath .....\$50.00 D. 983468F - Black

E. 983469F - Coyote



### Tek-Lok®

Multiple position options with compatible sheath. R. 981609F - Tek-Lok®, large size ...... \$15.00



### Malice Clips<sup>®</sup>

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt loop style carry. Clips securely close with a snap-lock.

983551F - Large Malice Clip® (4.75" size)...... \$2.00 983550F - Small Malice Clip® (3" size) ...... \$1.50



# 5 Hook/7 Hook/8 Hook Pouch

(MOLLE® Compatible) These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the Malice Clip® (sold separately). Made in USA.

MOLLE® 5 Hook Pouch ......\$8.00 H.981494F - Black I. 983856F - Foliage Green J. 983855F - Coyote MOLLE® 7 Hook Pouch ......\$10.00 K. 984166F - Black L. 984205F - Foliage Green M.984204F - Coyote MOLLE® 8 Hook Pouch ......\$12.00 N. 985398F - Black 985570F - Foliage Green (not shown) 985569F - Coyote (not shown)



н.





### Folder Pouch/Soft Sheaths

Snap-buckle closure flap, can be worn as a belt carry, or lashed to a shoulder strap with the Velcro® lash straps. Made in China. U. 983170F - Folder Pouch, Black ......\$15.00 All soft sheaths are 1680 denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

V. 981086F - Soft Sheath, Small (1.625" W x 5" D), black .... \$10.00 981087F - Soft Sheath, Large (2"W x 5.25" D), black ...... \$10.00 981717F - Soft Sheath, 4" Bali-Song® Series, black ........... \$10.00



# **BRAG BAGS**



**Brag-Bag Base Shell** Tri-fold folio with 10 individual knife slot areas (6" D x 3" W). Full-width zippered flat files behind knife slots. (17.75" W x 10.50" H folded x 33" flat H) 983445F Brag-bag shell ...... \$60.00

Brag-Bag Pages Folder page holds 10 individual knife slots. (16.25" W X 20" L) Fixed blade page holds 4 individual knife slots. (3.5" W x 14" L) 983446F - Brag-Bag folder page ...... \$20.00 983447F - Brag-Bag fixed blade page ... \$20.00

### Benchmade Knife Attaché

Soft carry case holds 11 folders. Shell constructed of heavyweight denier with deep plush interior lining and  $\rm Velcro^{\$}$  flap closure. 981456F - Knife Attache ...... \$35.00

BENCHLJADE

# **EXTRAS**





### Blue Box

Various bit sizes with a bit holder/extension; molded plastic case, which doubles as the handle.

981084F - Blue Box..... \$20.00



Benchmade Knife Sharpeners A. The Tactical Pro Sharpener Easy everyday carry with a ceramic honing surface. Length 3.00"

983902F -Tactical Pro Sharpener .....\$25.00 B. The Mini-Tactical Pro

Smaller version of the Tactical Pro. Length 2.00"

983903F -Mini-Tactical Pro Sharpener ......\$20.00 C. Combo Sharpener

Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75" 985547F –

ComboEdge Sharpener.....\$30.00



### Bluelube<sup>™</sup> Bluelube<sup>™</sup> Cleaner

Clean, lubricate and protect your Benchmade. 983900F – BLUELUBE Cleaner (4oz bottle) ......\$10.00 983900F – BLUELUBE (1.25oz bottle w/ nozzle) ...\$8.00



Plexiglass Knife Racks In Benchmade blue or Bone Collector gray. Each rack holds 7 knives. 10" D x 3 3/4" W x 3" H 985567F – Knife Rack......\$25.00 986698F – Bone Collector ....\$30.00



Single Knife Holder Transparent plastic, each one holds a single, open knife. 1000005 – Knife Holder ........\$2.50



Benchmade Foam Pad Perfect for presenting products on retail countertops. 11 5/8" x 7 3/4" 983326F – Foam Pad ....... \$10.00



### Benchmade Product Display

985580F – Counter...... \$500.00

# THE BENCHMADE DIFFERENCE

For over two decades, Benchmade has been committed to designing and manufacturing world-class sports cutlery and edged tools.

We continually strive to manufacture high quality products that will deliver superior performance and provide great value for our customers.

Whether you are using a Griptilian® as a basic cutting tool or one of our professional-grade rescue hooks to perform a quick cut in an emergency situation, you can count on your Benchmade to get the job done.

### It's not just a knife...

We believe that when a customer chooses to purchase a Benchmade, they don't do so just to be different, they do so because they want the best. This mindset of innovating for improvement is alive and well throughout Benchmade. It goes into every design and comes out of every product. Admittedly, it's not the easiest way to make knives, but it's the only way we know how.









# **MODEL FEATURE CODES**

These codes appear after the Benchmade model numbers. They identify particular feature variations within each model. (Example: Model 140SBK is a Model 140 knife which features partially serrated ComboEdge and corrosion resistant coating on the blade). We may do a limited edition of a model where the model number does not change but does get an addition to the ending, such as 470-131.

(NO CODE)	Plain edge/no blade coating
S	ComboEdge™ (partially serrated) no blade coating
ВК	Plain edge black corrosion resistant coated blade
SBK	ComboEdge (partially serrated) black corrosion resistant coated blade
OD	Olive Drab color handle
SN	Coyote color handle or sheath
-BLU	Blue color handle
-YEL	Yellow color handle
-ORG	Orange color handle
-BLK	Black color handle
-PNK	Pink color handle
W	Soft sheath for safety cutter
ADC	Army digital camouflage color sheath
D2	D2 tool steel blade
DM	Damascus blade
CP	Clam pack



# **DESIGNER COLLABORATION**

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passions into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



Mel Pardue The senior team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the everyday knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

### McHënry & Williams

Bill McHenry & Jason Williams It runs in the family... Bill and stepson Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well, and have led to several noteworthy innovations in the knife-making world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.



Warren Osborne Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/ edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.

# 诚

Seiichi Nakamura Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentlemen's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



Shane Sibert Since 1994, Shane Sibert's goal has been to design and create unique knives that will invoke pride of ownership, while at the same time perform tasks and challenges with exceptional ease. A life-long avid backpacker, Sibert draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts, and enjoys scuba diving in Oregon's chilly waters.

### Steigerwalt

Ken Steigerwalt In 1978 at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knifemaking was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style and describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one such innovation, the Nifrous<sup>®</sup> Assist mechanism. Eddie Killian Born with a love of knives, Eddie has carried a knife in his pocket since the second grade, and started to make his own knives in his garage in 2003. A volunteer search and rescue team leader, Eddie is also a certified technical rigging instructor specializing in technical/tactical rope rescue rigging for search and rescue teams, fire agencies, law enforcement and military personnel. He is the founder of Durango, CO-based K5 Tactical. He works as an industrial two-way radio system designer and consultant, as well as military and law enforcement equipment designer. Eddie has worked with countless local, state and federal agencies including the California Highway Patrol, U.S. Secret Service, Department of Justice, and the Department of the Treasury.

### LERCH

Matthew Lerch Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations and will continue to be a valuable contributor to Benchmade's genuine passion for that next, better design.



**Bob Lum** Growing up in the Pacific Northwest gave him an opportunity to develop an appreciation for the importance of a fine knife, which comes through in his elegant and utilitarian designs. Thanks, Bob.



Charles Marlowe Charles Marlowe began making knives when he was 15 years old in his father's workshop. His passion developed throughout his college career and he has been designing knives ever since. Known for his unique butterfly knife designs, Charles and Benchmade share a mutual commitment to precision and quality.



**Greg Thompson** Greg Thompson is the creator of Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 12 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the 18 ABN CORPS at Fort Bragg, NC.



Butch Ball Butch Ball developed a passion for knives at a very early age. After building a few fixed blades in the early '90s he decided, in 2000, to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, recreates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanical or ergonomic. The results of this process are designs that are as robust as they are innovative.

# LOCKING MECHANISMS

Seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process of opening and closing which can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

### **AXIS**®

A patented Benchmade exclusive, AXIS<sup>®</sup> has been turning heads and winning fans ever since its introduction. A 100-percent ambidextrous design, AXIS<sup>®</sup> gets its function from a small, hardened steel bar which rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners, and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS<sup>®</sup> bar itself. Available in manual, assist or automatic configurations.

### **MODIFIED LOCKING-LINER**

The basic principle is an integral locking bar within the knife liner being stress bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right or left hand specific). And with a modified locking-liner you get a patented feature that helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get both.

### MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle, and thus it is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle, and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

### NAK-LOK<sup>®</sup>

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok®, the possibility of personal injury is greatly reduced with the opening finger never crossing the blade's path.

### NITROUS®


Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed the two torsion arms which run the length of the handle liners are secured in place and make contact with the blade tang. As tensioned against the blade tang, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on its own. The huge advantages to the Nitrous® design over other similar concepts, is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

### AUTOMATIC

Restricted to Active Duty military, Law Enforcement and Public Safety, these are folding knives, which open at the push of a button. The blade is deployed out from the handle side like traditional folding knives, but the blade is spring-assisted to a fully locked open position. The Benchmade autos take full advantage of a powerful coil spring blade actuator coupled with our precisely machined taper lock mechanism, proving itself to be the most reliable system available in auto open knives. Our patented integrated safety mechanism (located on handle spine) ensures that the blade will not inadvertently deploy or close once it is locked open.

### **BALI-SONG**®

As much an art form as it is the ultimate example of form following function. The Bali-Song or butterfly knife is of Filipino ancestry dating back to nearly 800 A.D. Its basic form consists of a pin-hinged, two-piece handle, which when closed encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility capable.





# **BLADE STEELS AND FINISHES**

Benchmade uses a variety of modern materials specially selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a custom quality cutting tool, then it only makes sense to build it with materials that complement its form and enhance its function.

### 154CM

An American-made premium grade stainless steel originally developed for tough industrial applications. Known for its best all-around qualities, it offers great corrosion resistance with good toughness and edge quality.

### S30V

An American-made and developed premium grade stainless steel created especially for knives. It is a powder-made steel with a uniform carbide distribution and clean steel properties. As a blade material, it offers excellent corrosion resistance and superb edge qualities.

### CPM-M4

Special purpose, high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. A powder-metal, non-stainless steel.

### D2

An air-hardened tool steel that offers excellent wear resistance. A good choice for hard-use applications.

### 440C

A high-chromium stainless steel with a terrific balance of good hardness and corrosion resistance. 440C takes a nice edge and is fairly easy to resharpen. An excellent value-priced steel for its performance.

### M390

A high performance blade steel with superior cutting ability and wear resistance due to its high concentration of vanadium and chromium carbides. Its unique powder metallurgical process also promotes a uniform carbide distribution and clean steel properties, making M390 a popular steel used in surgical cutting instruments and in applications requiring a high finish. As a blade material it offers excellent corrosion resistance due to its high concentration of chromium.

### N680

A chromium-molybdenum conventionally produced stainless steel with the addition of vanadium and nitrogen. Excellent corrosion resistance properties, especially in saltwater. Good hardenability and high obtainable hardness. High wear resistance and ability to preserve keenness.

### DAMASCUS

A specially forged, layered steel made up of a variety of steels. It offers remarkable toughness and edge quality. For finishing, the surface layers or lines are exposed through an acid etch which creates a very unique visual effect. Used in special applications due to its inherent high cost and artistic nature.

### **CERAKOTE**<sup>™</sup>

Designed and manufactured by NIC Industries, Cerakote™ has a unique ceramic structure that outperforms competitive coatings and improves performance in both laboratory and real-world settings.

### COMBOEDGE

It denotes our partial serration on the plain edge blade configuration. Benchmade's serration pattern offers ideal cutting ability for fibrous materials such as webbing, straps, netting, or rope.

### HEAT-TREATMENT

Over the years we have developed a "special recipe" for heat-treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and Benchmade superior performance. All steels may be created equally, but that is where it stops when it comes to Benchmade.

CPM-M4	9CR13COMOV	1095	AUS-8	8CR14M0V	440C	N680	M390	D2	M2	S30V	154CM	STEEL
1.42	0.85	1.00	0.75	0.75	1.00	0.54	1.90	1.50	0.85	1.45	1.05	CARBON
4.0	13.50		14.00	14.50	17.50	17.30	20.00	12.00	4.15	14.00	14.00	CHROMIUM
·	1.00				1	•		•	1		•	COBALT
ı			0.49			•		0.30	0.30			NITROGEN
,	1.00	0.40	0.50	1.00	0.50	0.40	0.30	0.60	0.30	0.50	0.50	MAGANESE
5.25	0.20	1	0.10	0.20	0.50	1.10	1.00	1.00	5.00	2.00	4.00	MOLYBDENUM
ı			0.49			•	ı	0.30	0.30	·	ı	NICKEL
	1	0.04	0.04	0.03	0.04	1	1	1	1	'	1	PHOSPHOROUS
,	1	'	1.00	1.00	0.30	0.45	0.60	0.60	0.30	0.50	0.30	SILICON
	I	0.05	0.03	0.03	0.03	1	ı	1	1	1	I	SULPH
5.5		'		'		1	0.60		5.50-6.75	'	1	TUNGSTEN VANADIUM
4.0	0.20		0.20	0.20	1	0.10	4.00	1.00	1.95	4.00	1	
62-64	58-60	57-60	58-59	57-58	58-60	57-59	60-62	60-62	58-60	58-60	58-61	HRC

# HANDLES AND LINERS

### HANDLES

### CARBON FIBER

A contemporary, premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin, which is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

### COCOBOLO

A tropical hardwood from Central America known for being hard and dense. Its coloring ranges from orange to reddish-brown.

### MICARTA

Layers of linen cloths soaked in resin and pressured together. Most commonly used on more stylish knives due to its rich color finish qualities.

### 6061 T-6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

### NORYL GTX<sup>®</sup>

A modern engineered plastic offering high-strength, low-flex, and lightweight properties. Molded to form.

### G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under climate change. Most commonly black, but is available in various colors too.

### ZYTEL<sup>®</sup>

A lightweight glass-filled nylon engineered for strength and durability. Widely used throughout the auto industry in engine-related components. Molded to form.

### KYDEX<sup>®</sup>

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

### DELRIN<sup>®</sup>

A lightweight and durable engineered polymer with low-wear properties. Used throughout the auto industry. Molded to form.

### VALOX®

A reinforced resin with excellent stiffness, strength, and dimensional stability. Molded to form.

### **GRIVORY**<sup>®</sup>

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

### ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

### SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

### LINERS

### 6AL 4V-TITANIUM

Considered an exotic metal alloy (Titanium + 6% Aluminum + 4% Vanadium) with an excellent strength-to-weight ratio which offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

### 410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel which offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well. Also used in handles.

### SHEATHS

### BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

### LEATHER

A natural material dating back to man's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.






The following are registered trademarks of their respective companies: Delrin<sup>®</sup>, E.I. du Pont de Nemours & Company; Zytel<sup>®</sup>, E.I. du Pont de Nemours & Company; Kydex<sup>®</sup>, Kleerdex Company; Noryl GTX<sup>®</sup> and Valox<sup>®</sup>, General Electric Company; Xylan<sup>®</sup>, Whitford Worldwide Corporation; Kraton<sup>®</sup>, Kraton Polymers Company; Santoprene<sup>®</sup>, Advanced Elastomer Systems, Grivory<sup>®</sup>, EMS-Grivory.

# SPECIAL SERVICES



# PERSONALIZED LASER MARKING

**Make any Benchmade your Benchmade.** Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade or, in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.



### LIFESHARPSERVICE

benchmade\* LIFESHARP We will gladly resharpen your

Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warrantied repairs and "tune" the knife for optimum performance. Ship the knife to Benchmade, postage paid and insured. Please enclose your return shipping address with \$5.00 to help cover return shipping charges. www.benchmade.com/lifesharp

# WARRANTY

### LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or re-place, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by awmon propaid and insured feasible to acother with a description of by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also Include a copy of the owner's active police or million made task include a copy of the owner's active police or million made task returned through the authorized Benchmade dealer from whom the knife was originally purchased. NO EXCEPTIONS WILL BE MADE.

### WHAT IS COVERED

This Warranty covers replacement parts and labor.

### WHAT IS NOT COVERED

This Warranty does not cover normal wear, resharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's Warranty department, or shipping costs for returned knives. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void vour Warranty.

MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade's knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein

Please review the Warranty information and proper knife care instructions provided with each knife.

### ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is federally regulated (refer to catalog inside cover for federal statutes), always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by State laws. NO EXCEPTIONS WILL BE MADE.

### SHIPPING OF AUTOMATIC KNIVES

All Automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.) in accordance with the policies of the U.S. Postal Service. Thank you.

### ARE ASSIST-OPEN KNIVES LEGAL?

The way that the Benchmade assist-open knives are designed and built, they are not considered an automatic or switchblade under federal interpretations. The Optimiser® and new Nitrous® assist mechanisms must be initiated with the user manually overcoming the pull of the torsion bar or split liner systems to activate the assist function. This is done through manually or physically having to engage the blade first before opening. And as an added safety feature, the Benchmade assist openers must have their blades

rotated open to an approximately 20- to 30-degree open angle BEFORE the assist engages. This eliminates the need and complication of a secondary safety mechanism.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

The purchase, use and ownership of knives is subject to a wide variety of local laws and regulations. It is impossible for Benchmade Knife Company to know or interpret all of these laws. It is the responsibility of the buyer to be aware of the laws which govern them in their specific area wherever that may be. We encourage the responsible ownership and use of knives as one of mankind's oldest tools. Be smart and be safe.

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. This catalog is produced annually. Visit www.benchmade.com for the latest information.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice.



Benchmade is proud to be a charter member of AKTI. Get involved. Help to protect your knife freedoms. Join AKTI today!

877.752.8770 Or www.akti.org

The following are trademarks or registered trademarks of Mentor Group, L.L.C., used under license: Adamas; Axial; Benchmade (wordmark logo); Conspiracy; Emissary; Epidemic; Fieldsharp; Fu-gitive; Hardtail; Houdini; Mangus; Megumi; Mountainside; Night-shift; Nonconformist; NTK; Pro (bullseve logo); Ridge Top; Scorch; Shori; Soldat; Swale; T-Rod; Tailout; Ti-Fender; Trask; Triage; Venom. • The following are trademarks or registered trademarks of Benchmade Knife Company, Inc.: Ally; Ambush; Aphid; Ares; Anarodew Alley, Beckmed Pabli Company, Inc.: Ally; Ambush; Aphid; Ares; Ascender; AXIS; Backroad; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Bench-mite; Blitz; BlueLube; Break. Cut. Escape; Dejavoo; ERT-1; Genuine AXIS Mechanics; Glory; Gravitator; Griptilian; Hell's Kitchen; InDraft; Impel; Infidel; Instigator; Kulgera; Levitator; LFTi; May-hem; MonoChrome; Morpho; MPR; Nagara; Nak-Lok; Nimravus; NimCub II, Nitrous; Onopio, Mirky Nagada, Nak-Lok, Nimavos, NimCub II, Nitrous; Onslaught; Optimiser; Pika; Presidio Presdio Ultra; Rant; Rift; Rolling Lock; Rukus; Sequel; Shoki; Skirmish; Stryker; Subrosa; Torrent; Tumult; Venom; Vex. • NOTE: We reserve the right to make any design and/or material modifications reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the following patents: U.S. Patent Nos. 5,685,079 (Rolling Lock); 5,737,841 (AXIS, Auto AXIS, AXIS As-sist); 5,755,035 (Liner Lock); 5,822,866 (Automatic); 6,122,829 (AXIS); 6,438,848 (Auto AXIS); 6,550,832 (Levitator); US RE 41,259 E (AXIS, Auto AXIS, AXIS Assist); 6,675,484 (Levitator); 6,732,436 (Rolling Lock); 7,789,323 (Rolling Lock); 7,278,213 (Automatic, Liner Lock); 7,789,323 (Rolling Lock); 7,278,213 (Automatic, Liner Lock); 7,730,768 (Monolock); 7,305,769 (Out The Front); 7,409,766 (Lockback); 7,533,466 (Silding Tail-lock); 7,562,454 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,562,454 (Nitrous Bali-Song, 7,81,122 (AXIS Assist); Lockback); 7,562,455 (Out The Front); 7,748,122 (AXIS Assist); 7905023 (Adjustable pivot diameter); 7,987,601 (NakLok); 8,171,645 (AXIS Assist); 8,261,633 (Adjustable pivot diameter); D422,476 (710 Blade); D422,477 (Sentinel, Dark Star Knife); D422,478 (Sentinel, Dark Star Handle); D422,479 (720); D422,480 (710 Handle); D422,669 (Nimravus); D422,873 (710); D422,877 (Nimravus Handle); D425,389 (Nimravus Blade); D428,877 (Nimravus Handle); D425,389 (Nimravus Blade); D426,132 (720 Blade); D428,789 (710 Handle); D431,991 (Ares Handle); D432,386 (Ares); D433,913 (720 Handle); D438,442 (940 Blade); D447,925 (940 Handle); D549,561 (Rescue Hook); (940 Blade); D447,925 (940 Handle); D549,561 (Rescue Hook); D553,482 (Rescue Hook); Chinese Patent Nos. ZL 98813962.6 (AXIS); ZL 03106473.6 (AXIS), ZL 02815077.5 (Levitator), ZL 200680042105.7 (Nak-Lock), ZL 200680020710.4 (Auto Assist), ZL 02828500.X (Moizis Assist); French Patent Nos. 1552088 (Levitator), 1071546 (AXIS), 97452 (Stryker), 8795104.2 (AXIS Assist), 602008012517.3 (AXIS Assist); German Patent Nos. 60236820.0-08 (Levitator), 1071546 / 69821034.4-08 (AXIS), 602008012517.3 (AXIS Assist), M9711869.9 (Stryker), M711870.2 (Stryker); Hong Kong Patent No. HK1037344 (AXIS), HK1123255 (Nak-Lock); Italian Patent Nos. 1552088 (Levitator), 1071546 (AXIS), 73990 (Stryker); Japanese Patent Nos. 3639990 (AXIS), 4225896; Spanish Patent No. 1552088 (Levitator); Taiwanese Patent Nos. 187158 (Levitator), 247653 (Assist), I325362 (BILT), I351343 (OTF). 0ther Patents Pending.



300 BEAVERCREEK ROAD OREGON CITY, OR 97045

# **TELEPHONE** 800.800.7427 503.655.6004

CUSTOMER SERVICE FAX 503.496.1896

EMAIL

INFO@BENCHMADE.COM

WEB BENCHMADE.COM





©2013 BENCHMADE KNIFE CD, INC • Printed in US

FIRST EDITION

# ADDRESS SERVICE REQUESTED

US POSTAGE PAID

DAID OREGON CITY, OR PERMIT NO. 25

BENCHMADE KNIFE COMPANY COMMERCIAL | PROFESSIONAL CATALOG 2013